## FOOT & ANKLE ABILITY MEASURE (FAAM) Activities Of Daily Living Subscale

Please answer **every question** with **one response** that most closely describes your condition within the past week.

If the activity in question is limited by something other than your foot or ankle mark "Not Applicable: (N/A)

	No Difficulty	Slight Difficulty	Moderate Difficulty	Extreme Difficulty	Unable To Do	N/A
Standing						
Walking on even ground						
Walking on even ground with shoes						
Walking up hills						
Walking down hills						
Going up stairs						
Going down stairs						
Walking on uneven ground						
Stepping up and down curbs						
Squatting						
Coming up on your toes						
Walking initially						
Walking 5 minutes or less						
Walking approximately 10 minutes						
Walking 15 minutes or greater						

© RobRoy L. Martin, P.T., PhD., C.S.C.S., Duquesne University. Pittsburg, PA Used with permission.

### **UW Medicine**

Harborview Medical Center – University of Washington Medical Center UW Medicine Primary Care – Valley Medical Center – UW Physicians

**FOOT & ANKLE ABILITY MEASURE (FAAM)** 

Page 1 of 3



WHITE - MEDICAL RECORD

PLACE PATIENT LABEL HERE

# FOOT & ANKLE ABILITY MEASURE (FAAM) Activities Of Daily Living Subscale

Because of your foot and ankle how much difficulty do you have with:

	No Difficulty at all	Slight Difficulty	Moderate Difficulty	Extreme Difficulty	Unable To Do	N/A
Home responsibilities						
Activities of daily living						
Personal care						
Light to moderate work (standing, walking)						
Heavy work (push/pulling, climbing, carrying)						
Recreational activities						
How would you rate your current level of fu with 100 being your level of function prior to perform any of your usual daily activities.						100
0 %						

© RobRoy L. Martin, P.T., PhD., C.S.C.S., Duquesne University. Pittsburg, PA Used with permission.

**UW Medicine** 

Harborview Medical Center – University of Washington Medical Center UW Medicine Primary Care – Valley Medical Center – UW Physicians

FOOT & ANKLE ABILITY MEASURE (FAAM)

Page 2 of 3



WHITE - MEDICAL RECORD

PLACE PATIENT LABEL HERE

### **FOOT & ANKLE ABILITY MEASURE (FAAM) Activities Of Daily Living Subscale**

Because of your foot and ankle how much difficulty do you have with:

	No Difficulty at all	Slight Difficulty	Moderate Difficulty	Extreme Difficulty	Unable To Do	N/A		
Running								
Jumping								
Starting and stopping quickly								
Cutting/lateral movements								
Ability to perform activity with your normal technique								
Ability to participate in your desired sport as long as you like								
How would you rate your current level of function during your usual activities of daily living from 0-100 with 100 being your level of function prior to your foot or ankle problem and 0 being the inability to perform any of your usual daily activities								
Overall, how would you rate your current level of function								
□ Normal □ Nearly Normal □ Abnormal □ Severely Abnormal								
PATIENT OR PATIENT REPRESENTATIVE SIGNATURE	PRINT NAME			DATE	Til	ME		

© RobRoy L. Martin, P.T., PhD., C.S.C.S., Duquesne University. Pittsburg, PA Used with permission.

#### **UW Medicine**

Harborview Medical Center - University of Washington Medical Center UW Medicine Primary Care - Valley Medical Center - UW Physicians

**FOOT & ANKLE ABILITY MEASURE (FAAM)** 

Page 3 of 3



WHITE - MEDICAL RECORD

PLACE PATIENT LABEL HERE