



This tool does not constitute, and is not intended to constitute, a standard of medical care. It is a guide derived from the Standardized Concussion Assessment Tool 2 (SCAT2) (McCroory, et al, BJSM '09) and represents a standardized method of evaluating NFL players for concussion consistent with the reasonable, objective practice of the healthcare profession. This guide is not intended to be a substitute for the clinical judgment of the treating healthcare professional and should be interpreted based on the individual needs of the patient and the specific facts and circumstances presented.

NFL Sideline Concussion Assessment Tool: BASELINE TEST. Athlete completes blue sections. ATC/MD/DO completes sheet.

Athlete _____ Position _____ Team _____ Athlete Initials _____
 Date & Time of Baseline Test: Date _____ Time _____ am / pm Evaluator _____ ATC / MD / DO / Other _____

RISK FACTORS:

Concussion History

Have you EVER had a concussion, had your "bell rung", or had any of the symptoms below as a result of a head injury? Y N

If yes, previous number 0 1 2 3 4 5 6+

What type of symptoms did you have? _____

How long were you out of activity? _____

Have you ever lost consciousness as a result of a head injury? Y N If yes, how long? _____

Have you ever been hospitalized as a result of a head injury? Y N Details _____

Have you ever had any imaging tests of your brain (CT, MRI, DTI, other)? Y N Details _____

Date of most recent concussion? _____

Additional Risk Factors: Personal History

Have you ever been diagnosed with:

- Headache or migraines?
- Learning disability / dyslexia?
- ADD / ADHD?
- Depression, anxiety or other psychiatric disorder?
- Seizure disorder?

Are you on any medications? If yes please list _____

Family History

Has anyone in your family ever been diagnosed with:

- Headache or migraines?
- Learning disability / dyslexia
- ADD / ADHD
- Depression, anxiety or other psychiatric disorder?
- Seizure disorder?

How do you feel? The athlete should score themselves on the following symptoms, based on how they feel at the time. (i.e. 0 = not present, 1 = mild, 3 = moderate, 6 = severe)

Headache / head pressure	0 1 2 3 4 5 6	Feeling slowed down	0 1 2 3 4 5 6
Nausea / vomiting	0 1 2 3 4 5 6	Sensitivity to noise	0 1 2 3 4 5 6
Neck pain	0 1 2 3 4 5 6	Sensitivity to light	0 1 2 3 4 5 6
Drowsiness	0 1 2 3 4 5 6	Visual problems /blurred vision	0 1 2 3 4 5 6
Balance problems	0 1 2 3 4 5 6	Sleeping > usual	0 1 2 3 4 5 6
Dizziness	0 1 2 3 4 5 6	Sleeping < usual	0 1 2 3 4 5 6
Fatigue / low energy	0 1 2 3 4 5 6	Trouble falling asleep	0 1 2 3 4 5 6
Confusion	0 1 2 3 4 5 6	Sadness	0 1 2 3 4 5 6
"Don't feel right"	0 1 2 3 4 5 6	Nervous or anxious	0 1 2 3 4 5 6
Feeling "in a fog"	0 1 2 3 4 5 6	Feeling more emotional	0 1 2 3 4 5 6
Difficulty remembering	0 1 2 3 4 5 6	Irritability	0 1 2 3 4 5 6
Difficulty concentrating	0 1 2 3 4 5 6	Numbness or tingling	0 1 2 3 4 5 6

Total # Symptoms: of 24 = _____ Symptom Severity Score: (max 24 symptoms X max 6 rating) of 144 = _____

Athlete should initial in upper right hand corner that information provided above is accurate to the best of their knowledge
BELOW IS FOR ATC / MD / DO / OTHER PROVIDER USE ONLY

Select Physical Signs or Symptoms: Screen for Cervical Spine and/or More Serious Brain Trauma

- | | | |
|--|---|---|
| Any reported neck pain, c-spine tenderness or decreased range of motion? | Y | N |
| Pupil reaction abnormal or pupils unequal ? | Y | N |
| Extra-ocular movements abnormal and/or cause double vision? | Y | N |
| Asymmetry or abnormalities on screening motor or sensory exam? | Y | N |
| Other _____ | | |



NFL Sideline Concussion Assessment Tool: BASELINE TEST (continued)

SAC / ORIENTATION

of 5 = _____

- What month is it? 0 1
- What is the date today? 0 1
- What is the day of the week? 0 1
- What year is it? 0 1
- What time is it right now? (within an hour) 0 1

SAC / Word Recall: Read list of 5 words 1 per second, ask athlete to repeat list, in any order. (Use of specific lists below optional) For Trial 2 & 3, read the same list of words again and have athlete repeat them back, in any order. One point for each word remembered. You must conduct all 3 trials regardless of their success on trial 1. **Do not tell athlete that delayed recall will be tested**

List 1	Immediate Recall Trials			Alternative Lists		Delayed recall (perform at end of all sideline testing, at least > 5 minutes)
	#1	#2	#3			
elbow	_____	_____	_____	candle	baby	_____
apple	_____	_____	_____	paper	monkey	_____
carpet	_____	_____	_____	sugar	perfume	_____
saddle	_____	_____	_____	sandwich	sunset	_____
bubble	_____	_____	_____	wagon	iron	_____

Total of all three immediate word recalls: out of 15 = _____

Total delayed recall: out of 5 = _____

SAC / Concentration: Read string of numbers, ask athlete to repeat backwards. (Use of specific numbers below optional). If correct go to the next string length. If incorrect, read second string (same length) 1 point for each string length correct. Stop after incorrect on both trials. Read digits at rate of 1 digit /sec

Digits Backward:		Alternative digit lists	
4-9-3	0 1	6-2-9	5-2-6
3-8-1-4	0 1	3-2-7-9	1-7-9-5
6-2-9-7-1	0 1	1-5-2-8-6	3-8-5-2-7
7-1-8-4-6-2	0 1	5-3-9-1-4-8	8-3-1-9-6-4

SAC / Concentration cont. Months in reverse order
 Dec - Nov - Oct - Sept - Aug - Jul - Jun - May - Apr - Mar - Feb - Jan

1 point for months in reverse correctly (< 30 sec) = _____

1 point for each sequence correct of 4 = _____

Total of SAC Concentration of 5 = _____

Modified BESS: This is calculated by adding 1 error point for each error during the three 20-sec tests. The maximum total # of errors for any single condition is 10. **The higher the score, the worse is the player's balance.**

Balance testing – types of errors

1. Hands lifted off iliac crest
2. Opening eyes
3. Step, stumble, or fall
4. Moving hip into > 30 degrees abduction
5. Lifting forefoot or heel
6. Remaining out of test position > 5 sec

Shoe wear used for baseline test should be the same/similar to that to be used for the post injury assessment

Which foot tested (non-dominant foot) L R

Double leg stance (feet together) # errors _____

Single leg stance (non dominant foot) # errors _____

Tandem stance (non dominant foot at back) # errors _____

BALANCE SCORE: (summed # of errors) = _____

SCORING: (for research purposes)

All SAC scores (summed orange boxes) = ____ of 30

BALANCE Score: (summed BESS Errors) = ____

Symptom Score: (# symptoms reported) = ____ of 24

Symptom Severity Score (max 24 X max 6) = ____ of 144

ADDITIONAL COMMENTS: _____
